

MOT SPECIAL NOTICE



Issue Number

8 - 2008

Issue Date

November 2008

All Authorised Examiners and Designated Councils in Classes

All Classes

The last Special Notice issued was

7 – 2008 All Classes

Is it mandatory to print this Special Notice:	Printed Copy Not Required
---	----------------------------------

Item	Page	Subject	Relevant to
1	1	Diesel Smoke Testing from 1 January 2009	AEs & NTs Class 4, 5 & 7
Annex A		DSMs Not to be used after 31st December 2008	AEs & NTs Class 4, 5 & 7
Annex B		DSMs Suitable for use after 1st January 2009	AEs & NTs Class 4, 5 & 7

Item 1 Diesel Smoke Testing from 1 January 2009

Further to SN 1-2008 you are reminded that if you wish to carry out diesel smoke testing from 1 January 2009, you must only use a 2003 specification Diesel Smoke Meter (DSM). The attached Annex 1 is a list of DSMs that are **NOT** acceptable for MOT testing after 31 December 2008.

If you do not have the correct DSM set to 'active' on your VTS Device you may find that you will not be able to register a diesel vehicle for test on or after 1 January 2009 even though you have the correct equipment. The equipment being used at your VTS must match the equipment shown as active on your VTS Device.

Therefore, Site Managers must check that the details of their active DSMs are entered correctly on the system. In the attached Annex 2 we have listed the DSMs that are acceptable on or after 1 January 2009 and the equipment ID as listed on the VTS Device. You should check your equipment status by running an equipment history report and add or amend as necessary, using the processes defined in Section 10 P 1 or 2 of the VTS user guide. This must be completed by 31 December 2008.

We are aware that there are two Actia-Muller models of DSM that will not be on the VTS Device until 7 December 2008, these are model codes EINDA15856A0908003 and EINDA15856A0908001CD so if you have purchased this equipment please ensure you make the amendments after that date but before 31 December 2008.

All equipment approved in the future will have new model codes prefixed by EIN similar to the Actia Muller mentioned above. In the case of combination equipment both the EGA & DSM EIN numbers will be displayed on the shared frame.

If you have purchased a new DSM which has a certificate of acceptance issued by the GEA to MOT/05/01/01 2nd revision May 2003 or MOT/08/19/01 3rd revision 2007 and you cannot find the particular model on the VTS Device, you will need to contact your local Area Office for advice.

It is important to remember that if you have a combined EGA and DSM, both units must be entered as active on the VTS Device. All combination units will have two numbers, one for the EGA and one for the DSM.

Neil Cumming

Head of Roadworthiness and Testing policy Group

All Nominated Testers must acknowledge via the VTS Device that they have read and understood the contents of this Special Notice.

Annex A DSMs NOT to be used for MOT testing after 31 December 2008

DSM & Temp Measurement Listings for Class 4, 5 & 7

Type & Test Classes as seen on VTS report	Model	Manufacturer
DSM + Temp Measurement, IV, V, VII	ASA 200	SUN
DSM + Temp Measurement, IV, V, VII	DIESELTUNE DX230GB1	SPX
DSM + Temp Measurement, IV, V, VII	DIESELTUNE DX230GB2	SPX
DSM + Temp Measurement, IV, V, VII	DX210GB	DIESELTUNE
DSM + Temp Measurement, IV, V, VII	DX210GB 110V	DIESELTUNE
DSM + Temp Measurement, IV, V, VII	DX230GB + GB2.00	DIESELTUNE
DSM + Temp Measurement, IV, V, VII	EAM 3.011-RTM430	BOSCH
DSM + Temp Measurement, IV, V, VII	EDA1	TEN
DSM + Temp Measurement, IV, V, VII	ESA 3.110 -RTM430	BOSCH
DSM + Temp Measurement, IV, V, VII	ESA 3.140 -RTM430	BOSCH
DSM + Temp Measurement, IV, V, VII	ESA3.250RTM430BEA050	BOSCH
DSM + Temp Measurement, IV, V, VII	FSA 3.560-RTM430	BOSCH
DSM + Temp Measurement, IV, V, VII	FUMECHECK	HOFMANN
DSM + Temp Measurement, IV, V, VII	MK 4A 300750V2	HARTRIDGE
DSM + Temp Measurement, IV, V, VII	MK4a 300750V2	SYKES PICKAVANT
DSM + Temp Measurement, IV, V, VII	OLIVER 6000	RICHARD OLIVER
DSM + Temp Measurement, IV, V, VII	OPACILYT 1020	JUNKALOR
DSM + Temp Measurement, IV, V, VII	OPAX 2000 II	PROTECH
DSM + Temp Measurement, IV, V, VII	PSA300	CRYPTON
DSM + Temp Measurement, IV, V, VII	RTT100	BOSCH
DSM + Temp Measurement, IV, V, VII	Smokecheck 60001	GEMCO
DSM + Temp Measurement, IV, V, VII	Smokecheck 6001	GEMCO
DSM + Temp Measurement, IV, V, VII	Smokecheck6001 110V	GEMCO
DSM + Temp Measurement, IV, V, VII	SC 2000	GEMCO
DSM + Temp Measurement, IV, V, VII	SMOKECHECK 6000	RICHARD OLIVER
DSM + Temp Measurement, IV, V, VII	SMOKEMETER 4- YDA101	LUCAS
DSM + Temp Measurement, IV, V, VII	SSM 1500	SUN
DSM + Temp Measurement, IV, V, VII	TD2048	TECALEMIT
DSM + Temp Measurement, IV, V, VII	TD2055/56 -98	TECALEMIT
DSM + Temp Measurement, IV, V, VII	TD3100	TECALEMIT
DSM + Temp Measurement, IV, V, VII	TD3150	TECALEMIT

Type & Test Classes as seen on VTS report	Model	Manufacturer
DSM + Temp Measurement, IV, V, VII	300750	SYKES PICKAVANT
DSM + Temp Measurement, IV, V, VII	4035	SAGEM SOURIAU
DSM + Temp Measurement, IV, V, VII	4040 - 85	SAGEM SOURIAU
DSM + Temp Measurement, IV, V, VII	43-295-20	BEAR
DSM + Temp Measurement, IV, V, VII	495/01	TECNOTEST

DSM & Temp Measurement Listing for Classes 4 & 7

Type & test Classes as seen on VTS Report	Model	Manufacturer
DSM + Temp Measurement, IV, VII	CMT1012	CRYPTON
DSM + Temp Measurement, IV, VII	CMT1112B	CRYPTON
DSM + Temp Measurement, IV, VII	CMT2001B	CRYPTON
DSM + Temp Measurement, IV, VII	CMT2011B	CRYPTON
DSM + Temp Measurement, IV, VII	CMT2012B	CRYPTON
DSM + Temp Measurement, IV, VII	CMT2022B	CRYPTON
DSM + Temp Measurement, IV, VII	CMT500	CRYPTON
DSM + Temp Measurement, IV, VII	CMT510	CRYPTON
DSM + Temp Measurement, IV, VII	CMT511	CRYPTON
DSM + Temp Measurement, IV, VII	DIESELMASTER	SERVITRON
DSM + Temp Measurement, IV, VII	FICS 4000 ID UK	AUTOSENSE
DSM + Temp Measurement, IV, VII	FICS 4000 IDM UK	AUTOSENSE
DSM + Temp Measurement, IV, VII	INNOVA 1000 EDA II	TEN
DSM + Temp Measurement, IV, VII	INNOVA 2000 EDA 2	TEN
DSM + Temp Measurement, IV, VII	OM1000	OMITEC
DSM + Temp Measurement, IV, VII	OM1100	OMITEC
DSM + Temp Measurement, IV, VII	OM1500	OMITEC
DSM + Temp Measurement, IV, VII	Premier 9000S	PREMIER DIAGNOSTICS
DSM + Temp Measurement, IV, VII	Premier 9000S	Test Products
DSM + Temp Measurement, IV, VII	SMOKEMODULE 9010	MOTORSCAN
DSM + Temp Measurement, IV, VII	STP410	CRYPTON
DSM + Temp Measurement, IV, VII	TD4100	TECALEMIT
DSM + Temp Measurement, IV, VII	092A	SERVITRON
DSM + Temp Measurement, IV, VII	1121	BRADBURY (or FKI-BRADBURY)
DSM + Temp Measurement, IV, VII	196D	SERVITRON
DSM + Temp Measurement, IV, VII	492A	TECNOTEST
DSM + Temp Measurement, IV, VII	592A	MOTORBRANCH

Annex B DSMs Suitable For Use on or after 1 January 2009 (2003 Spec)

2003 Spec DSM Listing for Class 4, 5 & 7

Type & Test Classes as seen on VTS Report	Manufacturer	ID on the VTS Device	Manufacturers model code on certificate of acceptance
DSM, IV, V, VII	BOSTON	Boston OPA-100	OPA-100/PC
DSM, IV, V, VII	BRADBURY (or FKI-BRADBURY)	Bradbury1212	1212
DSM, IV, V, VII	BOSCH	BEA850(+RTM430)	BEA 850 when fitted with RTN430 measuring unit
DSM, IV, V, VII	AVL	Dismoke480AVLDIXRPM	Dismoke 480 using the AVL DIX system when triggered by RPM
DSM, IV, V, VII	AVL	Dismoke480AVLDIXTemp	Dismoke 480 using the AVL DIX system when triggered by temperature
DSM, IV, V, VII	DELPHI	DSG200E (DSS200E)Kom	DSS200E when part of a DSS200E Kombi
DSM, IV, V, VII	CRYPTON	DSM CCP 600+DX260-1	CCP 600+DX260-1
DSM, IV, V, VII	CRYPTON	DSM CCP 600+DX260-1B	CCP 600+DX260-1B
DSM, IV, V, VII	CRYPTON	DSM CDP600+DX260-1	CDP600+DX260-1
DSM, IV, V, VII	CRYPTON	DSM CDP600+DX260-1BT	CDP600+DX260-1BT
DSM, IV, V, VII	AVL	DSM DICOM 4000	Dicom 4000
DSM, IV, V, VII	AVL	DSM DISMOKE 4000	Dismoke 4000
DSM, IV, V, VII	DIESELTUNE	DSM DSP600+DX260-1	DSM DSP600+DX260-1 smokehead
DSM, IV, V, VII	DIESELTUNE	DSM DSP600+DX260-1BT	DSM DSP600+DX260-1BT smokehead
DSM, IV, V, VII	SUN	DSM DSS 10W	DSS 10W
DSM, IV, V, VII	SNAP ON SUN	DSM DSS10B +SAIC	DSS10B when used with Sun SAIC
DSM, IV, V, VII	SUN	DSM DSS10B +SAIC	DSS10B in conjunction with SAIC
DSM, IV, V, VII	DELPHI	DSM DSS200E	DSS200E when part of a DSS200E Kombi
DSM, IV, V, VII	BOSCH	DSM FSA 560-S4+RTM430	FSA 560-S4 incorporating the RTM430 Smoke Head
DSM, IV, V, VII	V-TECH	DSM OPUS COMBI+100SM	OPUS COMBI+100 smoke head
DSM, IV, V, VII	ATT	DSM POLLUX C600	Pollux C600
DSM, IV, V, VII	ATT	DSM POLLUX S300	Pollux S300
DSM, IV, V, VII	SUN	DSM SSM	SSM
DSM, IV, V, VII	TECALEMIT	DSM TD DISMOKE 5430	TD DiSmoke 5430
DSM, IV, V, VII	TECALEMIT	DSM TD4500+TD4104	TD4500+TD4104 smoke head
DSM, IV, V, VII	TECALEMIT	DSM TD4500+TD4105	TD4500+TD4105 smoke head
DSM, IV, V, VII	TECALEMIT	DSM TGD DICOM 5480	TGD DICOM 5480 triggered by temperature or RPM
DSM, IV, V, VII	TECALEMIT	DSM TG4000+TD4104	TG4000 Combi+TD4104 smoke head
DSM, IV, V, VII	TECALEMIT	DSM TG4000+TD4105	TG4000 Combi+TD4105 smoke head
DSM, IV, V, VII	TECALEMIT	DSM TS DISMOKE 5430	TGD DiSmoke 5430
DSM, IV, V, VII	JOHNSON CONTROLS	DSM ULTIMA600+600-71	ULTIMA600+600-71 smokehead

Type & Test Classes as seen on VTS Report	Manufacturer	ID on the VTS Device	Manufacturers model code on certificate of acceptance
DSM, IV, V, VII	JOHNSON CONTROLS	DSM ULTIMA600+600-72	ULTIMA600+600-72 smokehead
DSM, IV, V, VII	JOHNSON CONTROLS	DSM ULTIMA671+600-71	ULTIMA671+600-71 smokehead
DSM, IV, V, VII	JOHNSON CONTROLS	DSM ULTIMA671+600-72	ULTIMA671+600-72 smokehead
DSM, IV, V, VII	TRADEMASTER	DSM 600+600-71	600 Series Combi when using the 600-71 smoke head
DSM, IV, V, VII	TRADEMASTER	DSM 600+600-72	600 Series Combi when using the 600-72 smoke head
DSM, IV, V, VII	TRADEMASTER	DSM 671+600-71	671 when using the 600-71 smoke head
DSM, IV, V, VII	TRADEMASTER	DSM 671+600-72	671 when using the 600-72 smoke head
DSM, IV, V, VII	STONERIDGE	DSM 9200-001	9200-001
DSM, IV, V, VII	DUNLOP	DSMDDEcombi+DGE1500	DDE Combi+DGE1500 smokehead
DSM, IV, V, VII	SUN	DSS-10B+DGA2500EGA	DSS 10B in conjunction with DGA2500 EGA
DSM, IV, V, VII	PREMIER DIAGNOSTICS	DS2M+PremierElite	DS2M when connected to Premier Elite EGA
DSM, IV, V, VII	PREMIER DIAGNOSTICS	DS2MC+PremierElite	DS2MC when connected to Premier Elite EGA
DSM, IV, V, VII	DELPHI	DS500ERemPCTbDSS200E	DS500E Rem PC/Tablet incorporating a DSS200E Smoke Meter
DSM, IV, V, VII	GEMCO	GEMCO 6000	6000
DSM, IV, V, VII	RICHARD OLIVER	Oliver 6500	6500
DSM, IV, V, VII	RICHARD OLIVER	Oliver6000HiSpec	6000 Hi Spec
DSM, IV, V, VII	PROTECH	Opax2000 II 6but+VPE	Opax2000 II 6 button version displayed via V-Pex EGA
DSM, IV, V, VII	V-TECH	Opus combi+50Smoke U	Opus Combi incorporating an Opus 50 Smoke Unit
DSM, IV, V, VII	PREMIER DIAGNOSTICS	PremierDS2M+9000EGA	DS2M when connected to Premier Elite 9000EGA
DSM, IV, V, VII	PREMIER DIAGNOSTICS	PremierDS2M-PC(head+	Premier DS2M-PC (DS2M smoke head connected to suitable PC Platform & printer)
DSM, IV, V, VII	BOSCH	RTM 430+ESA 140	RTM 430 when used with an ESA 140 EGA
DSM, IV, V, VII	SUN	SSM1750	SSM1750 (serial Plate marked "Manufactured by Snap-On Equipment Ltd")
DSM, IV, V, VII	SUN	SSM1750BT	SSM1750BT
DSM, IV, V, VII	TECALEMIT	TD4500	TD4500
DSM, IV, V, VII	GEMCO	6002	6002
DSM, IV, V, VII	JOHNSON CONTROLS	Ultima 600-72B	Ultima 600-72B
DSM, IV, V, VII	TRADEMASTER	T800Disp+600-72B	T800 Display Using the 600-72B Smoke Head
DSM, IV, V, VII	TRADEMASTER	T800Disp+600-71	T800 Display Using the 600-71 Smoke Head
DSM, IV, V, VII	TRADEMASTER	T800Disp+600-72	T800 Display Using the 600-72 Smoke Head
DSM, IV, V, VII	NUSSBAUM	EMMA530+A1N1202N	EMMA 530 Incorporating the A1N1202N Smoke head
DSM, IV, V, VII	NUSSBAUM	EMMA530+A1N1203N	EMMA 530 Incorporating the A1N1203N Smoke head

Type & Test Classes as seen on VTS Report	Manufacturer	ID on the VTS Device	Manufacturers model code on certificate of acceptance
DSM, IV, V, VII	NUSSBAUM	EMMA560+A1N1202N	EMMA 560 Incorporating the A1N1202N Smoke head
DSM, IV, V, VII	NUSSBAUM	EMMA560+A1N1203N	EMMA 560 Incorporating the A1N1203N Smoke head
DSM, IV, V, VII	CRYPTON	CDP700+DX260-1	CDP700+DX260-1
DSM, IV, V, VII	CRYPTON	CDP700+DX260-1BT	CDP700+DX260-1BT
DSM, IV, V, VII	CRYPTON	CCP700+DX260-1	CCP700+DX260-1
DSM, IV, V, VII	CRYPTON	CCP700+DX260-1BT	CCP700+DX260-1BT
DSM, IV, V, VII	CRYPTON	DSP700+DX260-1	DSP700+DX260-1
DSM, IV, V, VII	CRYPTON	DSP700+DX260-1BT	DSP700+DX260-1BT
DSM, IV, V, VII	TEN	EDAIL-UK+INNOVA1000	EDAIL-UK when used with Innova 1000
DSM, IV, V, VII	TEN	EDAIL-UK+INNOVA2000	EDAIL-UK when used with Innova 2000
DSM, IV, V, VII	MOTORSCAN	Totalgas850Kom+9010	Totalgas 8050 Kombi when connected to a 9010 Smoke Head
DSM, IV, V, VII	MOTORSCAN	9010+PCSW7102	9010 Smoke Module When connected to PC via SW 7102
DSM, IV, V, VII	TEN	EDAIL-UK+INNOVA2000D	EDAIL-UK when used with Innova 2000 Diesel
DSM, IV, V, VII	AVL	AVLDismoke4800	Dismoke 4800
DSM, IV, V, VII	TECALEMIT	TecalemitDismoke4800	Dismoke 4800
DSM, IV, V, VII	OTC	495/01-2001	495/01-2001
DSM, IV, V, VII	WURTH	WOW 0900 700 003	WOW 0900 700 003
DSM, IV, V, VII	WURTH	WOW 0900 700 006	WOW 0900 700 006 (0900 700 003 Smokehead connected to a PC & printer)
DSM, IV, V, VII	WURTH	WOW 0900 700 005	WOW 0900 700 005
DSM, IV, V, VII	WURTH	WOW 0900 700 007	WOW 0900 700 007
DSM, IV, V, VII	WURTH	WOW 0900 700 049	WOW 0900 700 049
DSM + Temp Measurement, IV, V, VII	AVL	DICOM 4000	Dicom 4000
DSM + Temp Measurement, IV, V, VII	AVL	DISMOKE 4000	Dismoke 4000
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2	DS2
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2-C	DS2-C
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2D	DS2D
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2D-C	DS2D-C
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2M-C+Elite 9000 EG	DS2M-C when connected to Premier Elite 9000 EGA
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2M-PC-C+PC&Printer	DS2M-PC (DS2M smoke head connected to suitable PC Platform & Printer)
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2R	DS2R
DSM + Temp Measurement, IV, V, VII	PREMIER DIAGNOSTICS	DS2R-C	DS2R-C
DSM + Temp Measurement, IV, V, VII	DIESELTUNE	DX211	DX211
DSM + Temp Measurement, IV, V, VII	DIESELTUNE	DX211BT	DX211BT

Type & Test Classes as seen on VTS Report	Manufacturer	ID on the VTS Device	Manufacturers model code on certificate of acceptance
DSM + Temp Measurement, IV, V, VII	DIESELTUNE	DX250+PC&PRINTER	DX250 Smokehead connected to a suitable PC Platform & Printer
DSM + Temp Measurement, IV, V, VII	DIESELTUNE	DX260	DX260
DSM + Temp Measurement, IV, V, VII	DIESELTUNE	DX260BT	DX260BT
DSM + Temp Measurement, IV, V, VII	MOTORSCAN	Ekos9000+Eurogas8020	Ekos 9000 Smike module or 910 when part of a Eurogas 8020 Kombi
DSM + Temp Measurement, IV, V, VII	TECNOTEST	EDAII-UK+INNOVA1000	EDAII-UK when used with Innova 1000
DSM + Temp Measurement, IV, V, VII	TECNOTEST	EDA3	TEN EDA3
DSM + Temp Measurement, IV, V, VII	BOSCH	ESA3.110+RTM430-01	ESA3.110 when fitted with RTM 430 to 2001 spec. (Note: These machines have been updated and this is confirmed by the attachment of a permanent silver sticker which contains the serial No. This number must match the serial No. displayed on the Certificate of Acceptance)
DSM + Temp Measurement, IV, V, VII	BOSCH	ESA3.110+RTM430-2001	
DSM + Temp Measurement, IV, V, VII	BOSCH	ESA3.250+RTM430-01	ESA3.250 when fitted with RTM 430 to 2001spec. (Note: These machines have been updated and this is confirmed by the attachment of a permanent silver sticker which contains the serial No. This number must match the serial No. displayed on the Certificate of Acceptance)
DSM + Temp Measurement, IV, V, VII	BOSCH	ESA3.250+RTM430-2001	
DSM + Temp Measurement, IV, V, VII	GEMCO	GEMCO 6000+OM1500/9	6000 when fitted with OM1500/9
DSM + Temp Measurement, IV, V, VII	TEN	Innova2000/EDAII-UK	EDAII-UK when used with Innova 2000
DSM + Temp Measurement, IV, V, VII	TEN	Innova2000DEDAII-UK	EDAII-UK when used with Innova 2000 Diesel
DSM + Temp Measurement, IV, V, VII	OAKMAIN	Kendon 230	Kendon 230
DSM + Temp Measurement, IV, V, VII	JUNKALOR	Opacilyt 1030	Saxon Junkalor Opacilyt 1030
DSM + Temp Measurement, IV, V, VII	SAXON	Opacilyt 1030	Saxon Junkalor Opacilyt 1030
DSM + Temp Measurement, IV, V, VII	SAXON JUNKALOR	Opacilyt 1030+HG6000	Opacilyt 1030 with HG6000 handset
DSM + Temp Measurement, IV, V, VII	SAXON JUNKALOR	Opacilyt 1030+PC	Opacilyt 1030 when used with PC
DSM + Temp Measurement, IV, V, VII	OMITEC	OM1500	OM1500
DSM + Temp Measurement, IV, V, VII	OMITEC	OM1500+1500/9	OM1500 with 1500/9 probe
DSM + Temp Measurement, IV, V, VII	SAXON JUNKALOR	OPACILYT1030	Opacilyt 1030
DSM + Temp Measurement, IV, V, VII	PROTECH	OPAX2000 II 6BUT VER	Opax2000 II 6 button version displayed via V-Pex EGA
DSM + Temp Measurement, IV, V, VII	BOSCH	RTM430+BEA150 (DSM)	RTM430 smoke head when incorporated with BEA 150
DSM + Temp	BOSCH	RTM430+BEA350	RTM430 smoke head when

Type & Test Classes as seen on VTS Report	Manufacturer	ID on the VTS Device	Manufacturers model code on certificate of acceptance
Measurement, IV, V, VII		(DSM)	incorporated with BEA 350
DSM + Temp Measurement, IV, V, VII	TECALEMIT	TD3250	TD3250
DSM + Temp Measurement, IV, V, VII	TECALEMIT	TD4104 in TG4000	TG4000 Combi+ TD4104 smoke head
DSM + Temp Measurement, IV, V, VII	SNAP ON SUN	TECH SYSTEM SSM 1000	Tech System SSM 1000
DSM + Temp Measurement, IV, V, VII	BRADBURY (or FKI-BRADBURY)	1212	1212
DSM + Temp Measurement, IV, V, VII	BRADBURY (or FKI-BRADBURY)	1212 + OM1500/9	1212 when fitted with OM1500/9
DSM + Temp Measurement, IV, V, VII	KENDON	230	230
DSM + Temp Measurement, IV, V, VII	KENDON	230+HG6000 handset	230 when used with HG6000 Handset
DSM + Temp Measurement, IV, V, VII	KENDON	230+PC	230 when used with PC
DSM + Temp Measurement, IV, V, VII	TECNOTEST	495/01-2001	495/01-2001
DSM + Temp Measurement, IV, V, VII	GEMCO	6002+OM1500/9	6002 when fitted with OM1500/9
DSM + Temp Measurement, IV, V, VII	TECALEMIT	60071 in TG4000	60071 with TG4000
DSM + Temp Measurement, IV, V, VII	OLIVER	6502	6502